

Application No. 10/696,214

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:

LISTING OF CLAIMS:

1. (Cancelled)
2. (Previously Presented) The electrographic printing machine of claim 4, wherein said first transfer station includes a condition system for reducing electrostatic force on said first photoconductive member to improve transfer of said second developed image thereto.
3. (Original) The electrographic printing machine of claim 2, wherein said condition system includes a discharge device position before said first transfer station.

Application No. 10/696,214

4. (Currently Amended) An electrographic printing machine comprising:

a first photoconductive member, said first photoconductive member includes an individual addressable segments for modifying electrostatic fields in ~~said a~~ transfer area.;

an imaging device for recording a first latent image on said first photoconductive member ~~to form a second first developed image;~~

a first developer unit for developing said first latent image;

a second photoconductive member, closely adjacent to said first photoconductive member in a transfer region;

a second imaging device for recording a second latent image on said second photoconductive member;

a second developer unit for developing said second latent image to form a second developed image;

a first transfer station for transferring said second developed image on said second photoconductive member to said first photoconductive member; and

a second transfer station for transferring developed images on said first photoconductive member to a recording substrate.

5. (Previously Presented) The electrographic printing machine of claim 4, wherein said first developer unit contains marking particle of a different color of said second developer unit.

Application No. 10/696,214

6. (Currently Amended) The electrographic printing machine of claim 4, wherein said first transfer station transfers said second ~~develop~~ developed image in the same image frame as said first ~~develop~~ developed image on said first photoconductive member.

7. (Currently Amended) An electrographic printing machine comprising:

a first photoconductive member;

an imaging device for recording a first latent image on said first photoconductive member to form a second first ~~developed~~ image;

a first developer unit for developing said first latent image;

a second photoconductive member, closely adjacent to said first photoconductive member in a transfer region;

a second imaging device for recording a second latent image on said second photoconductive member;

a second developer unit for developing said second latent image to form a second developed image;

a first transfer station for transferring said second developed image on said second photoconductive member to said first photoconductive member; and

a second transfer station for transferring developed images on said first photoconductive member to a recording substrate, said first transfer station transfer said second ~~develop~~ developed image in an adjacent image frame as said first ~~develop~~ developed image on said first photoconductive member.

Application No. 10/696,214

8. (Previously Presented) The electrographic printing machine of claim 4, further comprising a replaceable module including said second photoconductive member and said second developer unit, said replaceable module is replaceable with a second replaceable module.

9. (Previously Presented) The electrographic printing machine of claim 7, wherein said first transfer station includes a condition system for reducing electrostatic force on said first photoconductive member to improve transfer of said second developed image thereto.

10. (Previously Presented) The electrographic printing machine of claim 9, wherein said condition system includes a discharge device position before said first transfer station.

11. (Previously Presented) The electrographic printing machine of claim 7, wherein said first developer unit contains marking particle of a different color of said second developer unit.

12. (Currently Amended) The electrographic printing machine of claim 7, wherein said first transfer station transfers said second ~~develop~~ developed image in the same image frame over as said first ~~develop~~ developed image on said first photoconductive member.

Application No. 10/696,214

13. (Previously Presented) The electrographic printing machine of claim 7, further comprising a replaceable module including said second photoconductive member and said second developer unit, said replaceable module is replaceable with a second replaceable module.